

The New SELECT LINE from Zipatec with 8 different models
250 – 460 - 610



Short description



250S



Soldering area max. 284x340mm

Spray - or Micro Drop Fluxing system
Double head fluxing systems
Convection or 1,5KW quartz emitters
Quick change pot trolley/cart
For lead or lead free solder
Jet or wettable nozzles
as dual head nozzle possible
Easy to operate via Windows™ software



460S



Soldering area max. 460x460mm

Spray - or Micro Drop Fluxing system
Double head fluxing systems
Bottom quartz emitters 1,5KW to 5,5KW
Top side quartz emitters 2,5 KW
Quick change pot trolley/cart
For lead or lead free solder
Jet or wettable nozzles
as dual head nozzle possible
Easy to operate via Windows™ software



460SW



Soldering area selective max. 460x460mm
Soldering area wave soldering max. 300x460mm

Spray - or Micro Drop Fluxing system
Bottom quartz emitters 1,5KW to 5,5KW
Top side quartz emitters 2,5 KW
Quick change pot trolley/cart
For lead or lead free solder
Jet or wettable nozzles
Selective and 300mm wave solder pot
Easy to operate via Windows™ software



460DS



Soldering area max. 460x460mm on both pots. The pots are selectable with a key switch an over manual movement but only one by one usable.

Spray - or Micro Drop Fluxing system
Bottom quartz emitters 1,5KW to 5,5KW
Top side quartz emitters 2,5 KW
Quick change pot trolley/cart
For lead or lead free solder
Jet or wettable nozzles
Easy to operate via Windows™ software



460DS/F



Soldering area max. 460x460mm both pots heated at the same time selectable via software.

Spray - and Micro Drop Fluxing system one for No-clean and One for Water soluble
Bottom quartz emitters 1,5KW to 5,5KW
Top side quartz emitters 2,5 KW
Jet or wettable nozzles
Easy to operate via Windows™ software

460DS/F- 250



Soldering area max. 300x250mm both pots heated at the same time and both nozzles usable at the same time and selectable via software.

Spray - and Micro Drop Fluxing system one for No-clean and One for Water soluble
Bottom quartz emitters 1,5KW to 5,5KW
Top side quartz emitters 2,5 KW
Jet or wettable nozzles
Easy to operate via Windows™ software



610DS/F



Soldering area max. 610x560mm both pots heated at the same time, selectable via software.

Spray - and Micro Drop Fluxing system one for No-clean and One for Water soluble
Bottom quartz emitters 1,5KW to 5,5KW
Top side quartz emitters 2,5 KW
Jet or wettable nozzles
Easy to operate via Windows™ software



610DS/F- 460



Soldering area max. 460x460mm both pots heated at the same time and both nozzles usable at the same time and selectable via software.

Spray - and Micro Drop Fluxing system one for No-clean and One for Water soluble
Bottom quartz emitters 1,5KW to 5,5KW
Top side quartz emitters 2,5 KW
Jet or wettable nozzles
Easy to operate via Windows™ software

The ZipA-Tec machines have saved many hours of Manual soldering Labour and improved quality to our customers who have installed the system!!!
We installed more the 70 system only in 2006

Thank you all for your great work

short reference list

Siemens Rastatt	Germany	technologie produktion
Valeo	China	automotive
Elektronik Mekanik AB	Sweden	contract manufacturer
RSF Elektronik	Austria	precision graduations
MILLISON TECHNOLOGY	Australia	contract manufacturer
Combel	France	automotive
MAIR Elektronik GmbH	Germany	contract manufacturer
Hannusch INDUSTRIELEKTRONIK	Germany	contract manufacturer
BMK	Israel	contract manufacturer
Morgan Newton/Miranda	USA	contract manufacturer
Kommax	Schweiz	OEM
Ostec	GUS	sales partner
HFC	Portugal	contract manufacturer
Sick	Germany	automotive
Siemens Essen	Germany	
Siemens Braunschweig	Germany	
Cherry	Germany	
AWC	UK	contract manufacturer
RMF Design	Canada	contract manufacturer
Terma	Denmark	military
SMT Assembly	Netherlands	contract manufacturer
Audioscope	Italy	contract manufacturer
Distatic AB	Sweden	contract manufacturer
AB Electronic	Spain	
Muurlan Elektronikka	Finnland	

See you at the SMT show stand 7-155 or at Productronica.